

**ATTACHMENT 2**

ITEM		UNIT	PRICE
<b>FLOORING</b>			
97	STANDARD CARPET	SQUARE FOOT	
98	NON STANDARD CARPET - CLASS 1	SQUARE FOOT	
99	UPGRADE STANDARD CARPET - CLASS 2	SQUARE FOOT	
100	UPGRADE STANDARD CARPET - COLLINS/AIKMAN	SQUARE FOOT	
101	22 OZ. CARPET TILE (SHAW OR EQUAL)	SQUARE FOOT	
102	26 OZ. CARPET TILE (SHAW OR EQUAL)	SQUARE FOOT	
103	RUBBER BASE 4" BURKE OR EQUAL	SQUARE FOOT	
104	RUBBER BASE 6" BURKE OR EQUAL	SQUARE FOOT	
105	CERAMIC TILE WITH THIN SET BASE OVER 1-1/8" STURDIFLOOR	SQUARE FOOT	
106	CERAMIC TILE OVER 1-1/8" STURDIFLOOR AND CEMENTIOUS HARDI PANEL SUBSTRATE	SQUARE FOOT	
107	VCT	SQUARE FOOT	
108	VCT WAXING	SQUARE FOOT	
109	QUARRY TILE	SQUARE FOOT	
110	FLAT LAY SHEET VINYL	SQUARE FOOT	
111	SHEET VINYL WITH SELF COVE	SQUARE FOOT	
112	VINYL UPGRADE OF FORBO MARMOLEUM	SQUARE FOOT	
113	KITCHEN SHOWER AREA ALTRA MARINE SAFETY FLOOR	SQUARE FOOT	
114	"RHINO" SEAMLESS WALL & FLOOR COATING	SQUARE FOOT	
115	REGUALR WEIGHT 3000 PSI CEMENT IN LIEU OF WOOD	SQUARE FOOT	
116	LIGHT WEIGHT CONCRETE IN LIEU OF WOOD	SQUARE FOOT	
117	3/4" CEMENTITIOUS VIROC PANEL OVER B-DECK	SQUARE FOOT	
118	EPOXY BUILT UP FLOOR AND WALL COATING	SQUARE FOOT	
119	ACCESS PANEL - THROUGHT FLOOR 24" X 24"	EACH	
120	WELDED SEAMS	SQUARE FOOT	
121	CARPET BAR	LINEAR FOOT	
122	REMOVE EXISTING VCT	SQUARE FOOT	
123	REMOVE EXISTING GLUE DOWN CARPET	SQUARE YARD	
<b>WALLS</b>			
124	INTERIOR NON-RATED 2 X 4 WALL, HIGH 16" OC FLOOR TO RAFTERS	LINEAR FOOT	
125	R19 INSULATION IN LIEU OF R11 (REQUIRES 2X6 WALL FRAMING)	SQUARE FOOT	
126	2 X 6 EXTERIOR WALL WITH R19 INSULATION	LINEAR FOOT	
127	2 X 8 EXTERIOR WALL WITH R19 INSULATION	LINEAR FOOT	
128	INTERIOR 1 HOUR FIRE RATED WALL, 16" OC FLOOR RAFTERS	LINEAR FOOT	
129	INTERIOR 2 HOUR FIRE RATED WALL, 16" OC FLOOR RATERS	LINEAR FOOT	
130	EXTERIOR 1 HOUR FIRE RATED WALL, 16" OC FLOOR RAFTERS	LINEAR FOOT	
131	EXTERIOR 2 HOUR RATED FIRE RATED WALL	LINEAR FOOT	
132	TAPE AND TEXTURE AND PAINT IN LIEU OF VINYL COVERED TACKBOARD	SQUARE FOOT	
133	STAINLESS STEEL WALL COVERING	SQUARE FOOT	
134	FIBER GLASS WALL PANELS (3/32" FRP) IN LIUE OF VCT	SQUARE FOOT	
135	MAGNETIC PANEL WALL COVER - PPA-412 4X12	SQUARE FOOT	
136	OPERABLE WALL	LINEAR FOOT	
137	CERAMIC TILE WALL	SQUARE FOOT	
138	WALL VINYL UPGRADE	SQUARE FOOT	
139	24 GAUGE WHITE PORCELAIN ENAMEL STEEL MARKER BOARD (4'X8')	EACH	
140	LIGHT FIXTURES 2' X 4' FLOURESCENT	EACH	
141	SOUNDBOARD ADD TO INTERIOR WALL	LINEAR FOOT	

**ATTACHMENT 2**

ITEM		UNIT	PRICE
	<b>ROOF</b>		
142	WALL BLOCKING	LINEAR FOOT	
143	PAINT INTERIOR WALL (STANDARD PAINT)	SQUARE FOOT	
144	COLOR - CUSTOM EXTERIOR PAINT	SQUARE FOOT	
145	PAINT EXTERIOR (STANDARD PAINT)	SQUARE FOOT	
146	EXTERIOR TRIM	LINEAR FOOT	
147	EXTERIOR SIDING	SQUARE FOOT	
148	PITCHED ROOF 1/4:12	SQUARE FOOT	
149	PITCHED ROOF 1/2:12	SQUARE FOOT	
150	PITCHED ROOF 1:12	SQUARE FOOT	
151	PITCHED ROOF 2:12	SQUARE FOOT	
	<b>ROOF</b>		
152	HARD CEILINGS	SQUARE FOOT	
153	1 HOUR FIRE RATED CEILINGS	SQUARE FOOT	
154	2 HOUR FIRE RATED CEILINGS	SQUARE FOOT	
155	VINYL COVERED GYPSUM CEILING PANELS IN COMMERICAL KITCHEN	SQUARE FOOT	
156	POLYISOCYANURATE ROOF INSULATION R19	SQUARE FOOT	
157	POLYISOCYANURATE ROOF INSULATION R30	SQUARE FOOT	
158	COMPOSITION SHINGLE ROOF	SQUARE FOOT	
159	GEO FLEX ROOF SYSTEM	SQUARE FOOT	
160	BUILT UP ROOF SYSTEM	SQUARE FOOT	
161	TPO ROOF SYSTEM	SQUARE FOOT	
162	EPDM ROOF SYSTEM (INCLUDES FR DECK)	SQUARE FOOT	
163	.60 MIL WHITE EPDM ROOF SYSTEM	SQUARE FOOT	
164	R30 FIBERGLASS INSULATION IN LIUE OF R19	SQUARE FOOT	
165	MANSARD - METAL	LINEAR FOOT	
166	MANSARD - TILE	LINEAR FOOT	
167	MANSARD - COMPOSITION SHINGLE	LINEAR FOOT	
168	42" PARAPET	LINEAR FOOT	
169	30" FASCIA METAL	LINEAR FOOT	
170	30" FASCIA STUCCO	LINEAR FOOT	
171	BOX SOFFIT STUCCO	LINEAR FOOT	
172	BOX SOFFIT DURATEMP	LINEAR FOOT	
173	2 X 2 SKYLIGHT WITH LIGHT SHAFT	EACH	
174	2 X 4 SKYLIGHT WITH LIGHT SHAFT	EACH	
175	4 X 4 SKYLIGHT WITH LIGHT SHAFT	EACH	
176	10" SOLATUBE	EACH	
177	14" SOLATUBE	EACH	
178	GUTTERS 24 GUAGE METAL	LINEAR FOOT	
179	DOWNSPOUTS (STANDARD)	LINEAR FOOT	
180	ROOF DRAIN	LINEAR FOOT	
181	THICKNESS MINIMUM	LINEAR FOOT	
182	MECHANICAL EQUIPMENT SCREEN FRAMING (36" MAX) SUPPLY AND INSTALL	LINEAR FOOT	
183	ROOF DECKING - UPGRADE TO 3/4 T&G PLYWOOD	SQUARE FOOT	
	<b>DOORS</b>		
184	EXTERIOR DOOR PACKAGE - STEEL 3070	EACH	
185	UPGRADE TO WELDED DOOR FRAME	EACH	

186	SINGLE STOREFRONT GLASS DOOR	EACH	
187	DOUBLE STOREFRONT GLASS DOOR	EACH	
188	1 HOUR FIRE RATED DOOR	SQUARE FOOT	

<b>ATTACHMENT 2</b>			
<b>ITEM</b>		<b>UNIT</b>	<b>PRICE</b>
189	SIDE LIGHT HOLLOW METAL FRAME WINDOW	EACH	
190	DOUBLE DOOR SIDE LITE	SQUARE FOOT	
191	EXTERIOR DOOR WITH 2" SIDELIGHT	SQUARE FOOT	
192	EXTERIOR DOOR WITH 6" SIDELIGHT	SQUARE FOOT	
193	TRANSOM TOP DOOR HOLLOW METAL FRAME WINDOW	EACH	
194	INTERIOR DOOR PACKAGE - WOOD	EACH	
195	ROLL-UP OVERHEAD DOOR 10 X 8	EACH	
196	ROLL-UP OVERHEAD DOOR 16 X 9 MOTORIZED 1 HOUR RATED	EACH	
197	FLOOR ACCESS HATCH 24 X 24	EACH	
198	ROOF HATCH 36 X 36	EACH	
199	PANIC HARDWARE IN LIEU OF STANDARD LOCKSET	EACH	
200	SCHLAGE VANDAL GUARD OR EQUAL IN LIEU OF STANDARD	EACH	
201	HARDWARE UPGRADE "A"	EACH	
202	HARDWARE UPGRADE "B"	EACH	
203	HARDWARE UPGRADE "C"	EACH	
204	DOOR CLOSER UPGRADE	EACH	
205	DOUBLE INTERIOR DOOR 6' X 6'-8" OR 7'	EACH	
206	DOUBLE INTERIOR DOOR 6' X 6'-8" OR 7' 1-HOUR RATED	EACH	
207	DOUBLE INTERIOR DOOR 6' X 6'-8" OR 7' 2-HOUR RATED	EACH	
208	DUTCH DOOR 3' X 6'-8"	EACH	
210	DUTCH DOOR 3' X 6'-8" 1-HOUR RATED	EACH	
211	DUTCH DOOR 3' X 6'-8" 2-HOUR RATED	EACH	
212	LOUVER KIT FOR DOOR	SQUARE FOOT	
213	STOREFRONT DOOR 3070 GLASS DOOR CLEAR ANODIZED FRAME AND INSULATED TEMPERED CLEAR GLASS	EACH	
214	3070 STEEL DOOR	EACH	
215	4070 STEEL DOOR	EACH	
216	3068 INTERIOR WOOD DOOR IN STEEL FRAME, SOLID CORE, PRE-FINISHED	EACH	
217	6068 INTERIOR WOOD DOOR IN STEEL FRAME, SOLID CORE, PRE-FINISHED	EACH	
218	3070 OPTIONS FOR ALL ABOVE INTERIOR DOORS (ADDER)	EACH	
219	VIEW LITE	SQUARE FOOT	
220	10" HIGH KICK PLATE	EACH	
	<b>WINDOWS</b>		
221	8040 XOX / DG SLIDING ALUMINUM WINDOW 46 %	EACH	
223	6040 XOX / DG SLIDING ALUMINUM WINDOW 46 %	EACH	
223	4040 XOX / DG SLIDING ALUMINUM WINDOW 46 %	EACH	
224	8040 XOX HOLLOW METAL WINDOW	EACH	
225	6040 XOX HOLLOW METAL WINDOW	EACH	

226	4040 XOX HOLLOW METAL WINDOW	EACH	
227	8020 XOX HOLLOW METAL WINDOW	EACH	
228	6020 XOX HOLLOW METAL WINDOW	EACH	
229	4020 XOX HOLLOW METAL WINDOW	EACH	
230	4040 FIXED INTERIOR WINDOW	EACH	
231	UPGRADE TO LOW E GLAZZING	SQUARE FOOT	
232	UPGRADE TO LEXAN GLASS	SQUARE FOOT	
<b>ATTACHMENT 2</b>			
<b>ITEM</b>		<b>UNIT</b>	<b>PRICE</b>
233	SECURITY SCREENS	SQUARE FOOT	
234	FIRE RATED WINDOWS	SQUARE FOOT	
235	WINDOW BLINDS	SQUARE FOOT	
<b>ELECTRICAL</b>			
236	150 AMP SINGLE PHASE PANEL	EACH	
237	300 AMP SINGLE PHASE PANBEL	EACH	
238	400 AMP SINGLE PHASE PANEL	EACH	
239	100 AMP THREE PHASE PANEL	EACH	
240	150 AMP THREE PHASE PANEL	EACH	
242	200 AMP THREE PHASE PANEL	EACH	
242	225 AMP THREE PHASE PANEL	EACH	
243	400 AMP THREE PHASE PANEL	EACH	
244	6 X 6 X 6 EXTERIOR SIGNAL BOX W/ 3/4" CONDUIT TO ATTIC	EACH	
245	12 X 12 X6 EMPTY BOX	EACH	
246	3 COMPARTMENT EMPTY GUTTER TRAY	EACH	
247	4 COMPARTMENT EMPTY GUTTER TRAY	EACH	
248	110V DUPLEX WALL RECEPTACLE WITH COVER	EACH	
249	110V DUPLEX WALL RECEPTACLE WITH COVER - DEDICATED	EACH	
250	110V DUPLEX WALL GFI RECEPTACLE WITH COVER	EACH	
251	110V DUPLEX FLOOR RECEPTACLE WITH COVER	EACH	
252	110V QUAD WALL RECEPTACLE WITH COVER	EACH	
253	110V QUAD WALL RECEPTACLE WITH COVER - DEDICATED	EACH	
254	110V QUAD WALL GFI RECEPTACLE WITH COVER	EACH	
255	110V QUAD FLOOR RECEPTACLE WITH COVER	EACH	
256	110V FOURPLEX FLOOR BOX	EACH	
257	DATA FLOOR BOX	EACH	
258	220V DUPLEX WALL RECEPTACLE WITH COVER	EACH	
259	30 AMP CIRCUIT - WALL	EACH	
260	40 AMP CIRCUIT - WALL	EACH	
261	50 AMP CIRCUIT - WALL	EACH	
262	60 AMP CIRCUIT - WALL	EACH	
263	DEDICATED FOURPLEX WALL RECEPTACLE	EACH	
264	WIREMOLD SERIES 5500	LINEAR FOOT	
265	DATA WALL BOX WITH BLANK COVER PLATE	EACH	
266	INTEIROR LIGHT SWITCH	EACH	
267	INTERIOR LIGHT SWITCH - THREE WAY	EACH	

268	INTERIOR 2 X 4 FLUORESCENT FIXTURE W/ A+ LOW HARMONIC BALLAST	EACH	
269	INTERIOR 2 X 4 FLUORESCENT FIXTURE W/ BATTERY BACKUP	EACH	
270	UPGRADE INT. 2 X 4 FLUORESCENT FIXTURE T-8 LAMPS W/ ELECT. BALLAST	EACH	
271	INTERIOR 2 X 4 FLUORESCENT FIXTURE WITH T-8 LAMPS	EACH	
272	INTEIROR 2 X 2 FLUORESCENT FIXTURE WITH T-8 LAMPS	EACH	
273	EMERGENCY LIGHT W/BATTERY BACKUP - INTERIOR WALL MOUNT	EACH	
274	EXIT LIGHT W/BATTERY BACK UP - INTERIOR WALL MOUNT	EACH	
275	EXTERIOR FLUORESCENT FIXTURE WITH INTEGRAL PHOTO CELL	EACH	
276	70W HPS EXTERIOR LIGHT	EACH	
277	ELECTRIC HAND DRYER	EACH	
278	TV BRACKET WITH BACKING	EACH	

**ATTACHMENT 2**

ITEM		UNIT	PRICE
279	FIRE ALARM SYSTEM BY BUILDING SQUARE FOOT	SQUARE FOOT	
280	SMOKE / HEAT DETECTOR	EACH	
281	CO2 DETECTOR	EACH	
282	FIRE SPRINKLER IN OPEN BUILDING SQUARE FOOT	SQUARE FOOT	
283	ABC RATED WALL HUYNG FIRE EXTINGUISHER	EACH	
284	ABE RATED FIRE EXTINGUISHER IN SEMI RECESSED WALL CABINET	EACH	
285	INTERIOR 2X4 FLUORESCENT FIXTURE W/ 277 VOLT (DUAL BALLAST)	EACH	
286	PENDANT LIGHT FIXTURE W/ SEISMIC TIES	EACH	
287	ADD PARABOLIC LENSES	EACH	
288	CEILING MOUNTED MOTION SENSOR	EACH	
289	WALL MOUNTED MOTION SENSOR @ SWITCH	EACH	
290	DAYLIGHT HARVESTING	PER SKYLIGHT	
	<b>HEAT AND COOLING</b>		
291	AIR BALANCING	PER HVAC UNIT	
292	AIR BALANCING (CERTIFIED)	PER HVAC UNIT	
293	CO2 SENSOR	EACH	
294	WITH OCCUPANCY SENSOR AND T-STAT OR EQUAL	EACH	
295	FRESH AIR UNIT BARD ECONOMIZER	EACH	
296	THERMOSTAT	EACH	
297	PROGRAMMABLE THERMOSTAT	EACH	
298	ENERGY VENTILATOR AND HOT GAS REHEAT BARD WG-SERIES 2.5 TON OR EQUAL	EACH	
299	WALL OR ROOF MOUNTED HVAC TO GAS (NIC: GAS LINES OR CONNECTIONS)	EACH	
300	CROSS-OVER HOLE THROUGH BEAMS TO EXTEND AIR SUPPLY/RETURN DUCTING	EACH	
301	2 TON WALL MOUNT HEAT PUMP UNIT	EACH	
302	3.5 TON WALL MOUNT HEAT PUMP UNIT	EACH	
303	4 TON WALL MOUNT HEAT PUMP UNIT	EACH	
304	5 TON WALL MOUNT HEAT PUMP UNIT	EACH	
305	3.5 TON ROOF MOUNT HEAT PUMP UNIT	EACH	
306	4 TON ROOF MOUNT HEAT PUMP UNIT	EACH	
307	5 TON ROOF MOUNT HEAT PUMP UNIT	EACH	
308	3.5 TON ROOF MOUNT GAS PACK UNIT	EACH	
309	4 TON ROOF MOUNT GAS PACK UNIT	EACH	
310	5 TON ROOF MOUNT GAS PACK UNIT	EACH	
311	7 TON ROOF MOUNT GAS PACK UNIT	EACH	
312	10 TON ROOF MOUNT GAS PACK UNIT	EACH	
313	3.5 TON INTERIOR HEAT PUMP UNIT	EACH	
314	4 TON INTERIOR HEAT PUMP UNIT	EACH	
315	5 TON INTERIOR HEAT PUMP UNIT	EACH	

316	3 TON "QUIET CLIMATE" WALL MOUNT HEAT PUMP	EACH	
317	3.5 TON "QUIET CLIMATE" WALL MOUNT HEAT PUMP	EACH	
318	4 TON "QUIET CLIMATE" WALL MOUNT HEAT PUMP	EACH	
319	5 TON "QUIET CLIMATE" WALL MOUNT HEAT PUMP	EACH	
320	WAG 40 GAS HVAC UNIT IN LIEU OF 3.5 TON WALL MOUNT HEAT PUMP	EACH	
321	SPLIT SYSTEM 2 TON HEAT PUMP WITH CLOSET MOUNTED AIR HANDLER (NIC: CLOSET AND CONNECTIONS TO CONDENSING UNIT)	EACH	
322	SPLIT SYSTEM 3 TON HEAT PUMP WITH CLOSET MOUNTED AIR HANDLER (NIC: CLOSET AND CONNECTION TO CONDENSING UNIT)	EACH	
323	SPLIT SYSTEM 3.5 TON HEAT PUMP WITH CLOSET MOUNTED AIR HANDLER (NIC: CLOSET AND CONNECTION TO CONDENSING UNIT)	EACH	

<b>ATTACHMENT 2</b>			
<b>ITEM</b>		<b>UNIT</b>	<b>PRICE</b>
324	SPLIT SYSTEM 4 TON HEAT PUMP WITH CLOSET MOUNTED AIR HANDLER (NIC: CLOSET AND CONNECTIONS TO CONDENSING UNIT)	EACH	
325	SPLIT SYSTEM 5 TON HEAT PUMP WITH CLOSET MOUNTED AIR HANDLER (NIC: CLOSET AND CONNECTIONS TO CONDENSING UNIT)	EACH	
326	RESTROOM CEILING HEATER	EACH	
327	PER UNIT 3 PHS UPGRADE	EACH	
328	PER UNIT BARD UPGRADE	EACH	
329	12 SEER UPGRADE	EACH	
330	AIR PURIFIER	EACH	
331	SUPPLY AIR REGISTER AND 12' OF FLEX DUCT	EACH	
332	RETURN AIR REGISTER AND 12' OF FLEX DUCT	EACH	
333	ADD FLEX DUCTING BY LINEAR FOOT	LINEAR FOOT	
334	ADD GLVANIZED DUCTING BY LINEAR FOOT	LINEAR FOOT	
335	SMOKE / FIRE DAMPLERS	EACH	
336	BARAMETRIC RELIEF DAMPER	EACH	
337	HVAC RETURN AIR PLENUM CHASE WALL (12'-0")	EACH	
338	FIRE RATED SHAFT	LINEAR FOOT	
339	CEILING MOUNT FAN (120 CAM) WITH DUCT	EACH	
340	KITCHEN EXHAUST FAN COOK VCR-XP-300 2750 CFM	EACH	
341	KITCHEN EXHAUST FAN COOK VCR-XP-A80 2050 CFM	EACH	
342	KITCHEN SUPPLY FAN, COOK 120KSP-B 220 CFM	EACH	
343	EXHAUST FAN COOK ACEB 70C2B	EACH	
344	EXHAUST FAN COOK ACEB 60C2B	EACH	
345	INSECT CONTROL FAN	EACH	
	<b>GREEN/SUSTAINABLE OPTIONS</b>		
346	HVAC UNIT, WALL HUNG, 2 STAGE HIGH EFFICIENCY, 3, 4, OR 5 TON	EACH	
347	HVAC UNIT, WALL HUNG, 2 STAGE HIGH EFFICIENCY, 3, 4, OR 5 TON WITH MERV 11 FILTER	EACH	
348	HVAC UNIT, WALL HUNG, SINGLE STAGE 11 EER, 3, 4, OR 5 TON	EACH	
349	HVAC UNIT, WALL HUNG, SINGLE STAGE 11 EER, 3, 4, OR 5 TON WITH MERV 11 FILTER	EACH	
350	ECONOMIZER FOR WALL HUNG HVAC UNIT	EACH	

351	HVAC ISOLATION CURB (EXTERIOR) FOR NOISE REDUCTION	EACH	
<b>PLUMBING</b>			
352	INTERIOR UNISEX TOILET ROOM	EACH	
353	INTERIOR PRIMARY UNISEX TOILET	EACH	
354	INSTANT FLOW ELECTRIC TANK LESS WATER HEATER	EACH	
355	6 GAL ELECT WATER HEATER	EACH	
356	10 GAL ELECT WATER HEATER	EACH	
357	50 GAL ELECT WATER HEATER	EACH	
358	100 GAL ELECT WATER HEATER	EACH	
359	GAS PIPING	LINEAR FOOT	
360	GAS TURRETS	EACH	
361	CAST IRON DRAIN LINES	LINEAR FOOT	
362	ACID RESISTANT WASTE PIPING	LINEAR FOOT	
363	FLOOR DRAINS	EACH	
366	NON FREEZE PROOF HOSE BIB WITH PLUMBERS KEY	EACH	
364	PLUMB WALL FOR FIXTURE WITH SUPPLY LINES(S) AND DRAIN LINES	EACH	
<b>ATTACHMENT 2</b>			
<b>ITEM</b>		<b>UNIT</b>	<b>PRICE</b>
365	DRINKING FOUNTAIN DUAL WALL MOUNTED INTERIOR	EACH	
366	DRINKING FOUNTAIN DUAL WALL MOUNTED EXTERIOR	EACH	
367	BUBBLER FOR SINK	EACH	
368	LAVATORY WALL HUYNG VITREOUS CHINA 19" X 17" WITH CARRIERS	EACH	
369	TOILET WALL HUYNG VITREOUS CHINA FLUSH VALVE ADA / STANDARD	EACH	
370	FLUSH VALVE TOILET OR URINAL	EACH	
371	15X22 COFFEE BAR SINK W/GOOSE NECK FAUCET & WRIST BLADE HANDLES	EACH	
372	CLASSROOM 17X25 SINK	EACH	
373	BRADLEY SINK SS-2	EACH	
374	BRADLEY SINK MG-2	EACH	
375	BRADLEY SINK AND COUNTER 72"	EACH	
376	DOUBLE BOWL STAINLESS STEEL WITH 8" SINGLE LEVER FAUCET	EACH	
377	THREE BOWL 55 COMM. SINK W/DRAIN BOARDS AND FAUCET	EACH	
378	MOP SINK FIBERGLASS W/LEGS & SWING FAUCET	EACH	
379	MOP SINK 24" X 24" FLOOR MOUNTED WITH WALL FAUCET	EACH	
380	36" X 36" FIBERGLASS SHOWER UNIT WITH FLOOR UNIT	EACH	
381	FIBERGLASS ADA SHOWER STALL WITH ADA LIP AND SEAT	EACH	
382	IN SINK GARBAGE DISPOSAL	EACH	
383	EMERGENCY EYE WASH	EACH	
384	MIRROR, TOILET PAPER, PAPERTOWEL, SOAP, TOILET SEAT COVER DISP	EACH	
385	SOLID PLASTIC PARTITION UPGRADE	LINEAR FOOT	
386	FIXTURE HOLES THROUGH CONCRETE FLOOR	EACH	
387	ADULT HANDICAP WATER CLOSET (INCLUDES GRAB BARD) STANDARD	EACH	
388	HOSE BIB (RECESSED WITH LOCKING COVER)	EACH	
389	HOT WATER HEATER UPGRADE TO GAS	EACH	
390	ROUGH-IN GAS LINE	EACH	
391	SENSOR FAUCET	EACH	
392	URINAL WALL MOUNTED	EACH	

393	SCIENCE ROOM SINK 12:" X 15" (NIC: ACID RESISTANT PLUMBING)	EACH	
394	SCIENCE ROOM DRY SERVICE VALVE FOR GAS (NIC: GAS CONNECTION)	EACH	
395	ROUGH-IN FOR FUTURE FUME HOOD (APPLIANCE AND INSTALLATION BY OTHERS)	EACH	
396	ROUGH-IN FOR FUTURE VENT (APPLIANCE AND INSTALLATION BY OTHERS)	EACH	
397	ACID WASTE PIPING (UTILITY CONNECTION, TANK AND ACCESSORIES NIC)	EACH FITTING	
398	UPGRADE CHEM-SURF RESISTANT SINGLE BOWL SINK	EACH	
399	WATER CLOSET, FLOOR MOUNT, TANK TYPE	EACH	
400	WATER CLOSET, FLOOR MOUNT, FLUSH VALVE	EACH	
401	WATER CLOSET, TANK TYPE, ADA	EACH	
402	WATER CLOSET, WALL HUNG, TANK TYPE	EACH	
403	WATER CLOSET, WALL HUNG, FLUSH VALVE	EACH	
404	WATER CLOSET, CHILD 10" HEIGHT, FLOOR MOUNTED	EACH	
405	URINAL WATERLESS	EACH	
406	WASHING MACHINE OUTLET/SUPPLY BOX	EACH	
407	HOSE BIB	EACH	
408	COPPER PIPE, TYPE "L" ROUGHT IN AND FIXTURE FITTING	EACH	

<b>ATTACHMENT 2</b>			
		<b>UNIT</b>	<b>PRICE</b>
409	REMOVE STANDARD UNISEX RESTROOM	EACH	
410	OCCUPANCY SENSOR, CEILING MOUNTED	EACH	
411	OCCUPANCY SENSOR, SWITCH MOUNTED	EACH	
<b>TOILET PARTITIONS AND ACCESSORIES</b>			
412	SIGNAGE	EACH	
413	TOILET PRIVACY PARTITIONING (HIGH DENSITY PLASTIC)	EACH	
414	STEEL ADA PRIVACY PARTITIONS WITH ENAMEL FINISH	EACH	
415	STEEL STANDARD PRIVACY STALL WITH ENAMEL FINISH	2006	
416	STEEL PRIVACY SCREEN 54X58 WITH ENAMEL FINISH	EACH	
417	STEEL URINAL SCREEN 24X24 WITH ENAMEL FINISH	EACH	
418	GRAB BARS	EACH	
419	LIQUID SOAP DISPENSER, SURFACE MOUNTED, BOBRICK B-2122 OR EQUAL	EACH	
420	TOILET PAPER DISPENSER, SURFACE MOUNTED, SINGLE ROLL, BOBRICK B0264	EACH	
421	TOILET PAPER DISPENSER, SURFACE MOUNTED, MULTI-ROLL, BOBRICK B-2888	EACH	
422	TOILET PAPER DISPENSER, SEMI-RECESSED, MULTI-ROLL, BOBRICK B-3888	EACH	
423	PAPER TOWEL DISPENSER, SURFACE MOUNTED, BOBRICK B*252	EACH	
424	PAPER TOWEL DISPENSER, RECESSED, BOBRICK B-359 (FOLDED TOWELS)	EACH	
425	PAPER TOWEL AND WASTE DISPENSER, RECESSED (4" WALL) BOBRICK B-3944	EACH	
426	WASTE RECEPTACLE, SURFACE MOUNTED, BOBRICK B-279	EACH	
427	SANITARY NAPKIN RECEPTACLE, SURFACE MOUNTED, BOBRICK B-254	EACH	
428	DIAPER CHANGING STATION, SURFACE MOUNTED, BOBRICK B-223X24	EACH	
429	MOP AND BROOM HOLDER BOBRICK B-239-44	EACH	
<b>CABINETS</b>			
430	PLUMBED SINK AND CABINET W/BUBBLER	EACH	
431	BASE CABINET - WIC # 102 L36 X D24	EACH	



432	BASE CABINET # 142	EACH	
433	DRAWER BASE CAN WIC # 222	EACH	
434	DRAWER BASE CAN WIC # 240	EACH	
435	DRAWER BASE CAN WIC # 230	EACH	
436	WALL HUNG CAB WIC # 312	EACH	
437	OPEN UPPER CABINET WIC #300 L36 X H30 X D12	EACH	
438	UPPER CABINET WITH DOORS WIC #400 L36 X H84 X D24	EACH	
439	OPEN TALL STORAGE CABINET WIC #402 L36 X H84 X D24	EACH	
44	LOCKABLE TALL STORAGE CABINET WIC #402 L36 X H84 X D24	EACH	
441	TALL STORAGE WIC #440	EACH	
442	7' CORNER TV CABINET	EACH	
443	TALL TEACHER CABINET WIC #530 L48 X H84 X D24	EACH	
444	16' TEACHING WALL	EACH	
445	30' TEACHING WALL	EACH	
446	30' SPECIAL TECH WALL	EACH	
447	SCIENCE WORK STATION / ISLAND	EACH	
448	KITCHEN	EACH	
449	WARDROBE RACK WIC #540 L60 WITH 15 HOOKS (INTERIOR)	EACH	

<b>ATTACHMENT 2</b>			
450	WARDROBE RACK WIC #540 L60 WITH 15 HOOKS (EXTERIOR)	EACH	
451	CUBBY STORAGE WIC #544 L48 X H66 X D12 (48 CUBICLES)	EACH	
452	LOW BOOK SHELVES WIC #600 L36 X H42 X D9	EACH	
453	HIGH PRESSURE LAMINATE COUNTER TOP	LINEAR FOOT	
454	EPOXY COUNTER TOP	LINEAR FOOT	
455	CABINET BLOCKING UPPER 4X4	LINEAR FOOT	
456	CABINET BLOCKING LOWER	LINEAR FOOT	
457	WIC WALL HUNG CUBICLES # 304	LINEAR FOOT	
458	DRAWERS IN LIEU OF SHELVING AND DOORS	LINEAR FOOT	
459	PLASTIC LAMINATED COUNTER TOP ONLY WITH BACKSPLASH	LINEAR FOOT	
460	PLASTIC LAMINATED COUNTER TOP ONLY WITHOUT BACKSPLASH	LINEAR FOOT	
461	UPGRADE TO CHEM-SURFACE RESISTANT COUNTER TOP WITH BACKSPLASH	LINEAR FOOT	
462	UPGRADE TO CHEM-SURFACE RESISTANT COUNTER TOP WITHOUT BACKSPLASH	LINEAR FOOT	
463	CASEWORK NOT INCLUDED HEREIN	LINEAR FOOT	
<b>CEILING</b>			
464	ACOUSTICAL LAY-IN 2'X2' X 5/8"	SQUARE FOOT	
465	CEILING GRID 2' X 4' WITH STANDARD EDGE CEILING PANELS	SQUARE FOOT	
466	UPGRADED ACCOUSTICAL CEILING TILE	SQUARE FOOT	
467	VINYL FACED FIBERGLASS CEILING TILE	SQUARE FOOT	
468	9'-0" CEILING HEIGHT	SQUARE FOOT	
469	9'-6" CEILING HEIGHT	SQUARE FOOT	
470	10'-0" CEILING HEIGHT	SQUARE FOOT	
<b>APPLIANCES</b>			
471	RESIDENTIAL RANGE HOOD	EACH	

472	RESIDENTIAL FREE STANDING 30" ELECTRIC RANGE	EACH	
473	RESIDENTIAL REFRIGERATOR (18 CU FT) FROST FREE	EACH	
474	24" UNDER COUNTER RESIDENTIAL REFRIGERATOR (6 CU FT)	EACH	
475	RESIDENTIAL DISHWASHER (2 CYCLE)	EACH	
476	RESIDENTIAL WASHER	EACH	
477	RESIDENTIAL DRYER	EACH	
478	COMM. RANGE HOOD 5X21 WITH FIRE SUPPRESSION SYSTEM	EACH	
479	VULCAN 36L COMMERCIAL 6 BURNER RANGE WITH OVEN	EACH	
480	SINGLE DOOR 27" COMM. FREEZER (23 CU FT)	EACH	
481	SINGLE DOOR 27" COMM. REFRIGERATOR (23 CU FT)	EACH	
482	COMMERCIAL DISHWASHER	EACH	
483	8X8 WALK-IN REFRIGERATOR	EACH	
484	12X17 WALK-IN REFRIGERATOR	EACH	
485	10X20 WALK-IN FREEZER	EACH	
486	DISPOSER 1 1/2 HP	EACH	
487	FAUCET PRE-RINSE	EACH	
488	SINK FOOD PREP 1 COMPARTMENT	EACH	
489	MICROWAVE RANGE	EACH	
	<b>FIRE PROTECTION</b>		
490	FIRE EXTINGUISHER IN RECESSED STEEL CABINET	EACH	
491	FIRE EXTINGUISHER IN SEMI-RECESSED STEEL CABINET	EACH	
492	FIRE EXTINGUISHER WITH MOUNTING BRACKET	EACH	
493	FIRE RATED SKIRTING	LINEAR FOOT	
494	FIRE SPRINKLERS UP TO 3,600 SF 2 1/2" RISER PIPE, UP TO 30 SPRINKLER HEADS (FLOW TEST, INSPECTIONS NIC)	SQUARE FOOT	
	<b>ATTACHMENT 2</b>		
	<b>BUILDING AND INSTALLATION MISCELLANEOUS</b>		
495	ONE HOUR RATED SEISMIC CLOSURE	SQUARE FOOT	
496	TWO HOUR RATED SEISMIC CLOSURE	SQUARE FOOT	
497	FIRE RATED SKIRTING (ONE HOUR)	LINEAR FOOT	
498	FIRE RATED SKIRTING (TWO HOUR)	LINEAR FOOT	
	<b>SCIENCE LAB OPTIONS</b>		
499	LAB FAUCET	EACH	
500	ACID DILUTER (UNDER SINK, SINGLE STATION)	EACH	
501	SINGLE-HOLE TOP-MOUNTED SINK FOR SINGLE HOLE FAUCET, STAINLESS STEEL, ACID RESISTANT ENAMEL FINISH	LINEAR FOOT	
502	EPOXY TOP, BLACK COUNTER TOP	LINEAR FOOT	
503	LABORATORY FUME HOOD (ISOLATER SERIES WITH A TOP AND BOTTOM AIROFOIL AND ERODYNAMICALLY SHAPED FASCIA POSTS TO MINIMIZE TURBULENCE)	EACH	
504	EXPANDED METAL VENTS	SQUARE FOOT	
	<b>ADA ACCESS RAMPS</b>		
505	METAL 4' X 11' RAMP AND 5' X 7' LANDING WITH HANDRAILS		
506	METAL 4' X 11' RAMP AND 34' X 5' COMMON DECK WITH 5' X 7' LANDING W/HANDRAILS		
507	METAL 4' X 11' RAMP AND 36' X 5' COMMON DECK WITH 5' X 7' LANDING W/HANDRAILS		
508	METAL 4' X 11' RAMP AND 40' X 5' COMMON DECK WITH 5' X 7' LANDING W/HANDRAILS		
	<b>CONCRETE FOUNDATION</b>		
510	SHEET METAL 12" FLASHING 22 GAUGE	LINEAR FOOT	
511	FLATWORK 4" THICK REINFORCED CONCRETE (200 SQUARE FOOT MINIMUM)	SQUARE FOOT	

512	BOLTED INSTALLATION ON CONCRETE FOUNDATION	SQUARE FOOT	
513	WELDED INSTALLATION ON CONCRETE FOUNDATION	SQUARE FOOT	
514	12" HIGH, 24 GAUGE METAL FLASHING	SQUARE FOOT	
	<b>WOOD OR ENGINEERED WOOD PRODUCTS</b>		
515	3/8" "SMART PANEL" WITH GROOVES 8" OC (T-1-11 SUBSTITUTION)	SQUARE FOOT	
516	1/2" CDX PLYWOOD (FOR USE UNDER EXTERIOR FINISH PRODUCTS)	LINEAR FOOT	
515	2" X 6" EXTERIOR WALL STUDS IN LIEU OF 2' X 4' STUDS	LINEAR FOOT	
	<b>CEMENT BASED OR STUCCO EXTERIOR FINISHES</b>		
517	CEMENT BOARD SIDING (4' X 8') (HARDIE PANEL, OR EQUALIVENT) EXCLUDES REMOVAL OF EXISTING SIDING	SQUARE FOOT	
518	CEMENT BACKER, EXTERIOR (FOR USE UNDER EXTERIOR FINISH PRODUCTS) EXCLUDES REMOVAL OF EXISTING SIDING	MODULE	
	<b>MISCELLANEOUS EXTERIOR FINISHES</b>		
519	EXTERIOR PAINT (AFTER TWO COLORS STANDARD), WHOLE SURFACE	SQUARE FOOT	
520	METAL ROOF AND WALL CLOSURE PANELS BETWEEN BUILDINGS, UP TO 6"	LINEAR FOOT	
521	WOOD CLOSURE PANEL BETWEEN BUILDINGS, UP TO 2'	EACH	
522	EXTERIOR HARDIE PANEL SIDING - WUI CODE PRODUCT	LINEAR FOOT	
523	EXTERIOR HARDIE LAP SIDING	LINEAR FOOT	
524	ROOF ACCESS LADDER, EXTERIOR, FIXED TO WALL	EACH	
	<b>ROOFING OPTIONS - NEW BUILDING ONLY</b>		
525	EXTEND REAR OVERHANG TO 5' (2'-6" STANDARD)	MODULE	
526	MANSARD FASCIA, MAX 2'-4" HIGHER THAN CEILING LEVEL, FACTORY BUILT (SHIPPING HEIGHTS AND WIND LOADS MUST BE CONFIRMED)	LINEAR FOOT	
527	EXTEND FRONT OVERHANG FROM 5' TO 8'	MODULE	
528	1 HOUR FIRE RATED CEILING	SQUARE FOOT	
529	2 HOUR FIRE RATED CEILING	SQUARE FOOT	

**ATTACHMENT 2**

530	BUIILT UP ROOF SYSTEM	SQUARE FOOT	
531	HARD CEILING	SQUARE FOOT	
532	EPDM ROOF SYSTEM	SQUARE FOOT	
	<b>MISCELLANEOUS</b>		
533	ADDITIONAL METAL 4X11 RAMP AND 5X7 LANDING WITH HANDRAILS	EACH	
534	ADD A STEEL 3 STEP RISER WITH HANDRAILS	EACH	
535	EXTEND METAL RAMP OR LANDING WITH HANDRAILS	LINEAR FOOT	
536	CONCRETE 4X11 RAMP AND 5X7 LANDING WITH HANDRAILS	EACH	
537	EXTEND CONCRETE RAMP OR LANDING WITH HANDRAILS	LINEAR FOOT	
538	WIRE MESH HANDRAILS	LINEAR FOOT	
539	PERFORATED HANDRAILS	LINEAR FOOT	
540	METAL GALVANIZING	LINEAR FOOT	
541	TWO STORY BRIDGING	LINEAR FOOT	
542	TWO STORY SWITCH BACK STAIR SYSTEM	EACH	
543	TWO STORY STRAIGHT RUN STAIR SYSTEM	EACH	
545	CAISON STAIR SUPPORT SYSTEM	EACH	
546	TWO STORY ELEVATOR MODULE	EACH	
547	EXTERIOR PLASTER STUCCO	SQUARE FOOT	
548	EXTERIOR DRY VIT	SQUARE FOOT	
549	RODENT SLAB	SQUARE FOOT	
550	LIGHT WEIGHT CONCRETE	SQUARE FOOT	
551	LIGHT WEIGHT CONCRETE WATER PROOF COATING	SQUARE FOOT	
552	SURVEY (MINIMUM 4 HOURS)	PER HOUR	
553	PHOTO VOTAIC SYSTEM	PER KW	
554	EXCAVATION FOR FOUNDATION	CUBIC YARD	
555	SPOIL REMOVAL-GENERAL 40-YARD CONTAINER	CUBIC YARD	
556	SPOIL REMOVAL/SITE DEBRIS/RECORDED	CUBIC YARD	
557	BUILDING WASTE REMOVAL-RECORDED-LANDFILL	CUBIC YARD	
558	BUILDING WASTE REMOVAL-RECORDED-RECYCLABLE	CUBIC YARD	
559	ADD FOR CUSTOM EXTERIOR COLORS	EACH MODULE	
560	GUTTERS / DOWNSPOUTS	LINEAR FOOT	
561	BONDS IF REQUIRED/REQUESTED	PERCENT	
562	10' BICYCLE RACK W/MOUNTING RACK	EACH	
563	RAIN BARRELL WATER COLLECTION	EACH	
564	ENGINEERING AND DESIGN	PER HOUR	
565	CONTRACT AND PROJECT SUPERVISION	PER HOUR	
566	PERFORMANCE AND PAYMENT BONDS (% OF P.O. TOTAL)	PERCENT	
567	COURSE OF CONSTRUCTION.BUILDINGS RISK MISC. INS. (% ABOVE COST)	PERCENT	
568	TEMP TOILET PER MONTH	EACH MO	
570	UNFORESEEN ITEMS NOT ITEMIZED (% ABOVE COST)	PERCENT	
571	CRANE PER HOUR MINIMUM OF 4 HOURS	PER HOUR	
572	DAILY CREW PER DIEM OUTSIDE OF 150 MILES	PER DAY	
573	DEBRIS BIN (1 DUMP, UP TO 30 YD, PER WEEK)	WEEK	
574	FINAL BUILDING CLEAN UP	MODULE	
575	FORKLIFT AT JOB SITE (PER DAY)	PER DAY	
576	LABOR DUE TO SITE CONDITIONS	PER MAN HOUR	

577	PERIMETER SKIRITNG	LINEAR FOOT	
<b>ATTACHMENT 2</b>			
577	EQUIPMENT RENTAL LARGE (8 HOUR MINIMUM)	HOUR	
578	EQUIPMENT RENTAL MEDIUM (8 HOUR MINIMUM)	HOUR	
579	EQUIPMENT RENTAL SHALL (8 HOUR MINIMUM) PERCENTAGE)	HOUR	
580	ADDITONAL LABOR AND MATERIALS FOR ITEMS NOT LISTED HEREIN (AS A PERCENTAGE)	EACH	
581	BONDS, IF REQUIRED/REQUESTED	EACH	
582	UNFORSEEN ITEMS NOT ITEMIZED WILL BE INVOICE TO INCLUDE %	PERCENT	
583	DAILY CREW PER DIEM OUTSIDE 150 MILES	PER DAY	
584	MODULE SHUTTLE SERVICE AT SITE	MODULE	
	<b>ADDITIVE ALTERNATE DELIVERY SERCID CAL TRANS APPROVED ROUTES RATES FOR UP TO 40' MODULE (ALSO FOR RETURN DELIVERY SERVICE)</b>		
585	0-30	EACH	
586	31-40	EACH	
587	41-50	EACH	
588	51-60	EACH	
589	61-70	EACH	
590	71-80	EACH	
591	81-90	EACH	
592	91-100	EACH	
593	101-115	EACH	
594	116-130	EACH	
595	131-145	EACH	
596	146-160	EACH	
597	161-180	EACH	
598	181-200	EACH	
599	201-225	EACH	
600	226-250	EACH	
601	251-275	EACH	
602	276-300	EACH	
603	301-325	EACH	
604	326-350	EACH	
605	351-375	EACH	
606	376-400	EACH	
607	401-425	EACH	
608	426-450	EACH	
609	450-475	EACH	
610	476-500	EACH	
611	501-525	EACH	
612	526-550	EACH	
613	551-755	EACH	
614	576-600	EACH	
615	601-625	EACH	

616	626-650					EACH	
617	651-675					EACH	
618	676-700					EACH	
<b>ATTACHMENT 2</b>							
619	701-725					EACH	
620	726-750					EACH	
621	751-775					EACH	
622	776-800					EACH	
623	801-825					EACH	
624	ADD FOR 60' MODULE / OVERSIZE 12' +					EACH	
625	PILOT CARE PER MILE PER PILOT CAR					EACH	
626	POLE CARE PER MILE					EACH	
	<b>ADDITIVE ALTERNATE - RELOCATION SERVICES</b>					EACH	
627	12 X 40 BUILDING RELOCATION					EACH	
628	24 X 40 BUILDING RELOCATION					EACH	
629	ADDITIONAL 12 X 40 MODULE RELOCATION					EACH	
630	30 X 32 BUILDING RELOCATION					EACH	
631	ADDITIONAL 10 X 32 MODULE RELOCATION					EACH	
632	24 X 60 BUILDING RELOCATION					EACH	
633	ADDITIONAL 12 X 60 MODULE RELOCATION					EACH	
634	SIDE LOADS					EACH	
635	REVERSE LOADS					EACH	
636	3 POPINT UNLOAD					EACH	
637	MODULE SHUTTLE SERVICE AT SITE PER MODULE					EACH	
638	CRAINING AND RIGGING (4 HOUR MINIMUM) PER HOUR					EACH	
639	2' WOOD CLOSE OFF BETWEEN BUILDINGS					EACH	
640	2' EXPANDED METAL CLOSE OFF BETWEEN BUILDINGS					EACH	
641	6" EXPANDED METAL CLOSE OFF BETWEEN BUILDINGS					EACH	